7. REFERENCES

1 Britt; Jeffery s. (tucswon.AZ) Wiedeman; Scott (Tucson.AZ) (2012), “Apparatus and Methods for Manufacturing thin-film Solar cells”, patent paper, Application No: 12/424,505

2 Ho; Frank. (Yorba Linda, CA) Yeh; Milton Y (Santa Monica, CA); (1995), “High Efficiency Multi-Junction Solar Cell”, patent paper, Application No: 08/149,052.

3 Bareis; Bernard F (Plano,TX) and Goei; E Esmond T. (Dublin, CA); (2004), “Concentrating Solar Energy Receiver”, patent paper , Application No: 10/217,861.

4 Britt; Jeffery s. (tucswon.AZ) Wiedeman; Scott (Tucson.AZ); “Multi-Layered materials” 2009.

5 Zhao; Xiaofeng (Guangdong, CN) (2009) ,“Solar Collecting and Utilizing Device”, patent paper,Application No: 10/570,887.

6 SB Sadati, M.Yazdani – Asrami and others; (2010) “Economic Evaluation of Supplying Rural and Residential Areas Using Photovoltaic Systems in I.R. Iran” Journal of electrical Engineering Vol 1; /ISSB.

7 Coc Oko and S.N Nanchi; (20012)“Optimum Collector Tilt Angles for Low Latitudes”, Journal “The Open Renewable Energy” 2012 issue.

8 Nataraj Pandiarajan, Rama Badran, Rama Prabha and Ranganathan; (2012),“Application of Circuit Model for Photovoltaic Energy Conversion Systems”, Journal “International Journal of Photo Energy” 2012issue.

9 H.O Njoku and C.V. Ekechekwu;(2011,) “Thermal performance Modeling of the Reverse Absorber Shallow Solar Pond”, Journal; “ISSN 0003-701X-Applied Solar Energy”, 2011Issue.

10 Tiwari, G.N and Singh, A.k; (1993),“Thermal Efficiency of Collection-Cum-Storage Solar Water Heater, Energy Covers, Manag, 1993, vol 34, no. 2 pp147-152.

11 Clark, A.F and Dickinson, W.C,(1980), “Shallow Ponds, in Solar Energy Technology Handbook, Dicknson, W.C and Cheremisinoff, P.N, Eds” New York; Marcel Dekker, pp 377-402.

12 Madhusudan, M. Tiwari and Seghal; “Energy Covers Manag”,(1983), vol 23, no 2, pp.107-111.

13 Madhusudan, M. Tiwari, G.N, Harishikeshan, D.S and Sehgal; (1981),“Optimization of Heat Losses in Normal and Reverse Flat-Plate Collector Configurations; Analysis and Performance, Energy, Energy Covers. Manag”, vol 21, no. 3, pp 191-198.

14 Goyal. R.k and Tiwari. G.N; “Energy Convers. Manag” (1999), Vol 40, no 4, pp 385-392.

15 Jain. D. J (2007),Food Eng , vol.78, pp 637-647.

16 Tiwari G.N, Yadav, Y.P Eames, P.C and Norton. B; “Renewable Energy”, (1994), vol.5, no.1, pp 509-516.

17 Sodha. M.S, Tiwari. G.N and Nayak. J.k; “Energy Covers, Manag”, (1981), vol.21, pp 137-139.

18 Holman. J.P; (1997),“Heat Transfer”, McGraw Hill, 1997publication.

19 Picault, B. Raison, S. Bacha; (2010), “Forecasting Photovoltaic Array Power production Subject to Mismatch losses, Solar Energy”, pp 1301-1309.

20 J.M. Enrique, J.M. Andu jar, M.A. Boho rquez; (1994),“A reliable, fast and low cost maximum power point tracker for photovoltaic applications, Solar Energy”, , pp 79-89.

21 D. Theocharis, A.menti, J. Milias-Argitis and the Zacharias; (2005),“Modeling and Simulation of a Single-phase Residential Photovoltaic System”, IEEE Power Tech, Russia, pp. 1-7.

22 Sandler, J.S.; Colin, P.L.; Kelly, M.; Fenical, W. Cytotoxic macrolides (2006), from a new species of the deep-water marine sponge Leiodermatium. J. Org. Chem., 2006, 71 (22), 7245-7251.

23 Howell, J.R.; Bannerot, R.B.; Vliet, G.C.(1982 edition), Solar-thermal energy systems-analysis and design, McGraw-Hill: New York.

24 Coppolino, S. (1989), “A simple model for computing diffuse solar radiation. Solar Energy”, 43 (6), 385-389.

25 Ideriah, F.J.K. (1981editon), “A model for calculating direct and diffuse solar radiation. Solar Energy”, 1 (26), 447-452.

26 Ideriah, F.J.K(.1981 edition), “ On the relationship between diffuse and global solar radiation. Solar Energy”, , 31 (1), 119-124.

27 Ideriah, F.J.K.; Suleman, S.O. Sky condition at Ibadan(during 1975-1980,1989) Solar Energy, 1989, 43 (6), 325-330.

28 Shariah, A.; Al-Akhras, M.A.; Al-Omari, I.A.(2002) Optimizing the tilt angle of solar collectors. Renew. Energy, 2002, 26, 587-598.

29 Ulgen, K. Optimum tilt angle for solar collectors. Energy. Sources, (2006), 28, 1171-1180.

30 Gunerhan, H.; Hepbasli,(2007), A. Determination of the optimum tilt angle of solar collectors for building applications. Build. Env, 2007, 42, 779-783.

31 Ahmad, M.J.; Tiwari, G.N.(2009), Optimization of tilt angle for solar collector to receive maximum radiation. The Open. Renew. Energy J., 2009, 2, 19-24.

32 N. Pandiarajan and R. Muthu,(2008), “Viability analysis on photovoltaic configurations,” in Proceedings of the IEEE Region 10 Conference (TENCON ’08*)*, Hyderabad, India, November 2008.

33 “PV Balance of Systems Conference Berlin, Germany,” June 2011, http://www.PV-insider.com/.

34 J. A. Gow and C. D.Manning,(1999), “Development of a photovoltaic array model for use in power-electronics simulation studies, ”IEE Proceedings on Electric Power Applications, vol. 146, no. 2,pp. 193–200.

35 M. E. Ropp and S. Gonzalez,(2009), “Development of a MATLAB/ simulink model of a single-phase grid-connected photovoltaic system,” IEEE Transactions on Energy Conversion, vol. 24, no.1, pp. 195–202.

36 M. Veerachary, (2006),“PSIM circuit-oriented simulator model for the nonlinear photovoltaic sources,” IEEE Transactions on Aerospace and Electronic Systems, vol. 42, no. 2, pp. 735–740.

37 I. H. Altas and A. M. Sharaf,(May 2007), “A photovoltaic array simulation model for matlab-simulink GUI environment,” in Proceedings of the International Conference on Clean Electrical Power *(ICCEP ’07)*, pp. 341–345.

38 R. C. Campbell(October 2007)., “A circuit-based photovoltaic array mode for power system studies,” in Proceedings of the 39th North American Power Symposium (NAPS ’07), pp. 97–101.

39 S. Chowdhury, S. P. Chowdhury, G. A. Taylor, and Y. H. Song (July 2008.), “Mathematical modelling and performance evaluation of a stand-alone polycrystalline PV plant with MPPT facility,” in Proceedings of the IEEE Power and Energy Society, General Meeting: Conversion and Delivery of Electrical Energy in the 21st Century (PES ’08).

40 M. G. Villalva, J. R. Gazoli, and E. Ruppert Filho, (october2009),“Modeling and circuit-based simulation of photovoltaic arrays,” in Proceedings of the Brazilian Power Electronics Conference (COBEP ’09), pp. 1244–1254.

41 M. G. Villalva, J. R. Gazoli, and E. R. Filho, (2009),“Comprehensive approach to modeling and simulation of photovoltaic arrays,” IEEE Transactions on Power Electronics, vol. 24, no. 5, pp. 1198–1208.

42 J. H. Jung and S. Ahmed),(2008),“Model construction of single crystalline photovoltaic panels for real-time simulation,” in Proceedings of the 2nd IEEE Energy Conversion Congress and Exposition (ECCE ’10), pp. 342–349.

43 S. Nema, R. K. Nema, and G. Agnihotri, (2010),“Matlab/Simulink based study of photovoltaic cells/modules/array and their experimental verification,” International Journal of Energy and Environment, vol. 1, no. 3, pp. 487–500.

44 T. F. Elshatter, M. T. Elhagry, E. M. Abou-Elzahab, and A. A.T. Elkousy, (2000),“Fuzzy modeling of photovoltaic panel equivalent circuit,” in Proceedings of the Conference Record of the 28th IEEE Photovoltaic Specialists Conference, pp. 1656–1659.

45 K. Nishioka, N. Sakitani, Y. Uraoka, and T. Fuyuki (2007), “Analysis of multi-crystalline silicon solar cells by modified 3-diode equivalent circuit model taking leakage current through periphery into consideration,” Solar Energy Materials and Solar Cells, vol. 91, no. 13, pp. 1222–1227.